

PRODUCT DATA SHEET

SERVO ANTICORR BF



DESCRIPTION

Servo Anticorr BF is a water based engine coolant for Diesel Locos of Railways. This is free from Boron, Amines, Phosphates and Silicates. It provides overall improvement of engine efficiency by way of superior cooling. Its additive system gives corrosion protection to all the six metals i.e. copper, brass, steel, cast iron, aluminium and solder.

APPLICATION

Servo Anticorr BF is readily soluble with water in all proportions. The process of applications of Coolant is quiet easy and do not require any special arrangement for mixing and time to time top-ups. This can also be used as engine coolants for DG Set applications.

PERFORMANCE BENEFITS

- Bio-degradable and environment friendly.
- Free from Borons, Amines, Phosphates and Silicates.
- Non-toxic and user friendly.
- Highly compatible with gaskets, O-rings, etc.
- Keeps the Engine Kool which improves efficiency.
- Prevents corrosion of radiator coolant and other parts.
- Increases cooling efficiency.
- Reduces maintenance costs and increases radiator life.
- Since it is yellow fluorescent colour leakage can be detected easily.

PERFORMANCE STANDARDS

- JIS K 2234-1994 specification.

DIRECTION FOR USE :

- It should be used at 2.5% vol in DM water.
- Monitoring of the coolant concentration can be done through monitoring nitrite concentration.
- Optimum level of 1950-2150 ppm of nitrite should be maintained.

CHARACTERISTICS

	Servo Anticorr BF
Appearance	Clear Fluorescent yellow liquid
Density @ 29.5°C, g/ml	1.116
pH of 2.5% Soln.	8.3
Reserve Alkalinity	13 - 17

HEALTH & SAFETY

These oils are unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of industrial and personal hygiene are maintained.

For further information please contact our nearest office OR:

Technical Services Dept., Indian Oil Corporation Ltd., G-9, Ali Yavar Jung Marg, Bandra (East), Mumbai - 400 051

E-Mail: servotechserv@indianoil.in **OR** servots@indianoil.in

May-20